


Pediatric Trauma

November 2003










Pediatric Admissions Occurring at Pediatric Designated Hospitals -- Interpretation --

- 1. Overall pediatric admission rate to 'ped-designated centers' (~70%) compares favorably to others (64% in Pennsylvania, 65% in NPTR)
- 2. Pediatric admission rate to 'ped-designated centers' for ISS > 15 (~85%) exceeds others (64% in Pennsylvania)
- 3. Pediatric admission rate to 'ped-designated centers' for moderate-severe TBI (85-95%) is high

System-based triage of pediatric trauma a success

% of Hypotensive Pediatric Patients Receiving Full Trauma Team Activations

(State Inclusion Criteria, Age<15, Excludes Transfers In)




% of Hypotensive Pediatric Patients Receiving Full Trauma Team Activations -- Interpretation --

1. Trauma Team Activations for hypotensive pediatric trauma victims occur less frequently than for hypotensive adult trauma victims (27.1% of peds vs. 44.3% of adults, Year 2001 to Present, Two sample t test with unequal variance, p<.0001)


Improvement in trauma team activation for critically pediatric victims is needed

Pediatric Trauma Deaths by Designation




Pediatric Deaths by Designation

(DOH Criteria, Age<15, Died)




Pediatric Trauma Hospitalizations by Designation


(DOH Criteria, Age<15, Admitted)



Trauma Deaths Location in Non-Pediatric Services



Trauma Deaths by Injury Type



Trauma Deaths -- Interpretation --

- 1. Pediatric trauma deaths in non-pediatric centers are rare, and primarily occur acutely, in the ER (i.e., not amenable to transfer to a pediatric-center)
- 2. The majority of pediatric trauma deaths occur following moderate-severe TBI

A detailed investigation of pediatric TBI and outcome is indicated, and underway